




LEJIN HOLIDAY LIGHTING



STRING LIGHT CATALOGUE

Address: No. 592-1705, Sheng'an West Road, Qianqiao street, Huishan District, Wuxi City, Jiangsu Province
Email: christmas@lejinlighting.com
Tel: 86-510-83217667
Phone: 86-13861698351

Wuxi Lejin Electronic & Electrical CO., Ltd.
Maanshan Brightness Lighting Co., Ltd.

Wuxi Lejin Electronic & Electrical CO., Ltd.



Company Profile:

As a professional company which producing and exporting LED Christmas light, we have our own physical factories that integrates R&D, production, sales and service. Wuxi Lejin Electronic & Electrical Co., Ltd. is the company's R&D and trading center, it was established in August 2000. And Maanshan Brightness Lighting Co., Ltd. which was established in January 2011 is the manufacturing factory.

The products have been certified by multiple foreign countries and regions. Covering an area of 13000 square meters, the factory area has reached 7800 square meters. The company's products range from product planning to material selection, from product design to raw material procurement, from quality control in the production process to terminal customer service, all of which are one-stop independent production and operation.

After 20 years of hard work and operation, the company's product sales have covered more than 60 countries and regions worldwide. At present, the company is keeping up with the pace of the times, relying on its own advantages and resources, constantly breaking through and advancing in the lighting industry under the new situation and development background, integrating the best resources, developing a series of new products, meeting the needs of different customers, and laying a solid foundation for the company's high-speed development in the next stage.



Factory Display



Service





ORDINARY STRING LIGHT SERIES

01

String lights are a very common decorative light, it can be used in many different occasions. They can be hung on trees, buildings, walls, ceilings and other places to create a variety of decorative effects. The use of string lights is very wide, can be based on personal creativity and needs to play freely. Whether it is home decoration, commercial activities or public place decoration, string lights can bring a unique atmosphere and beauty to various occasions.



ORDINARY LIGHT- APPLICATION DISPLAY



8 FUNCTION STRING LIGHT



SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	24V	4	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*13		47*38*28		20	13


CHERRY BLOSSOM STRING LIGHT



SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	24V	4	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*10		47*38*22		20	11


FLASH STRING LIGHT



SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	100-240V	6	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*10		47*38*22		20	11

5 MODES STRING LIGHT



SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	31V	6	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*10		47*38*22		20	11

8 FUNCTION STRING LIGHT



SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	100-240V	6	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*13		47*38*28		20	13

HEXAGONAL STRING LIGHT



SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
50	240	Customizable	100-240V	14.4	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
23.5*7*23.5		30*25.5*49		16	17

WARM WHITE SOLAR STRING LIGHT

COLORFUL SOLAR STRING LIGHT



SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
50	500	Customizable	24V	6	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
20.5*10*14.5		53*43*16		10	15

SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	24V	6	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*10		48*38*28		20	9

Note: We can be customized according to customer demand

BATTERY BOX STRING LIGHT



BATTERY BOX STRING LIGHT 8 FUNCTION



SPECIFICATION


Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	4.5V	6	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*13		47*38*28		20	13

SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	4.5V	6	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*13		47*38*28		20	13

Note: We can be customized according to customer demand

DUAL COLOR CHANGING STRING LIGHT PVC



SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	100-240V	4.5	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*13		47*38*28		20	13

DUAL COLOR CHANGING STRING LIGHT RUBBER




SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	100-240V	4.5	IP65
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
20.5*10*14.5		53*43*16		10	12.5

Note: We can be customized according to customer demand

STRING LIGHT

DUAL COLOR CHANGING STRING LIGHT RUBBER

SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	4.5V	6	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*13		47*38*28		20	13

SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	100-240V	4.5	IP65
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
20.5*10*14.5		53*43*16		10	12.5

Note: We can be customized according to customer demand


BREATHING FLASH STRING LIGHT



SPECIFICATION

Length (M)	No. of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	24V	6	IP65
Inner box/cm ³ (excluding power cord)		Carton/cm ³		Set/Carton	GW/KG
18*9*13		48*38*15		10	10.5

WHITE FLASH STRING LIGHT



SPECIFICATION

Length (M)	No. of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	100-240V	6	IP65
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
20.5*10*14.5		53*43*16		10	12.5

LED 5V STRING LIGHT



- *10 FUNCTIONS:**
1. STEADY ON
 2. FLOWING 1
 3. FLOWING 2
 4. EXPLODING
 5. IN WAVES
 6. JUMP LIGHT
 7. FADE
 8. SEQUENTIAL
 9. CHASING
 10. STAR CHASING

TREE STRING LIGHT



SPECIFICATION

Length (M)	No. of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	5V	6	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*10		48*38*22		20	11

SPECIFICATION

Length (M)	No. of Light	Light color	Voltage (V)	Power (W)	IP Rating
15	90	Customizable	12V	5.4	IP65
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
20.5*10*14.5		53*43*16		10	12.5

FIRECRACKER SHAPED STRING LIGHT



SPECIFICATION

Length (M)	No. of Light	Light color	Voltage (V)	Power (W)	IP Rating
2	140	Customizable	100-240V	8.4	IP44
Inner box/cm ³ (excluding power cord)		Carton/cm ³		Set/Carton	GW/KG
18*9*13		47*38*28		20	13

Note: We can be customized according to customer demand

LED PVC 31V STRING LIGHT



SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	31V	3.6	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*10		48*38*22		20	11

Note: We can be customized according to customer demand

LED 8 FUNTION+TIMER 31V STRING LIGHT



- *8 FUNCTIONS:**
- 1.COMBINATION
 - 2.IN WAVES
 - 3.SEQUENTIAL
 - 4.SLO-GLO
 - 5.CHASING/FLASH
 - 6.SLOW FADE
 - 7.TWINKLE/FLASH
 - 8.STEADY ON
- *WITH MEMORY FUNCTION**
***WITH TIMING FUNCTION**
***WITH REMOTE CONTROL**



SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	31V	3.6	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*10		48*38*22		20	11

LED NONPOLARITY COLOR CHANGING 31V STRING LIGHT



***NO REMOTE CONTROL**



- *10 FUNCTIONS:**
- 1.COMBINATION
 - 2.LED1 STEADY ON
 - 3.LED2 STEADY ON
 - 4.LED1 SLO-GLO
 - 5.LED2 SLO-GLO
 - 6.LED1&LED2 SEQUENTIAL
 - 7.LED1&LED2 TWINKLE
 - 8.LED1&LED2 SLOW FADE
 - 9.SLO-GLO
 - 10.OFF
- *WITH MEMORY FUNCTION**



***WITH REMOTE CONTROL**



APP:

Surplife

SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating	Inner box/cm ³	Carton/cm ³	Set/Carton	GW/KG
10	100	Customizable	31V	3.6	IP44	18*9*10	48*38*22	20	11

Note: We can be customized according to customer demand



SMART STRING LIGHT SERIES


02

Smart string light is a powerful decorative light that can not only be flexibly controlled by remote control and APP, but also can present a rich variety of lighting effects. Compared to regular string light, it is unique in that only one lamp can meet your needs for a variety of lighting effects.

For example, at Christmas time, we can decorate the Christmas tree with smart string light, making it the focal point of the whole place, bringing joy and joy to people. Similarly, in urban lighting projects, it can also become a unique artistic element. By combining the color of the light with the architecture and landscape of the city, stunning visual effects can be created.



SMART LIGHT- APPLICATION DISPLAY



SMART STRING LIGHT PVC



SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	RGB	66V	16.5	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*13		47*38*28		20	13


SMART STRING LIGHT RUBBER



SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	RGB	66V	16.5	IP65
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
20*10*14.5		53*43*16		10	12.5

A/B RGB STRING LIGHT



SPECIFICATION

Length (M)	No. of Light	Light color	Voltage (V)	Power (W)	IP Rating
5	48	Customizable	66V	3.84	IP65
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*13		48*38*28		20	13

APP STRING LIGHT



APP:



Surplife



SPECIFICATION

Length (M)	No. of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	5V	5	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*10		47*38*22		20	11

RGB SMART STRING LIGHT (LJ-1819)

APP:



Surplife



SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	RGB	100-240v	6	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*10		47*38*22		20	11

RGBWW SMART STRING LIGHT (LJ-1720)

APP:



Surplife



SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	RGBWW	100-240v	6	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*10		47*38*22		20	11

SYNC FLASHING RGB STRING LIGHT



SPECIFICATION

Length (M)	No. of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	RGB	100-240v	4.62	IP65
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
20.5*10*14.5		53*43*16		10	12.5

APP STRING LIGHT



APP:



FO Remote



SPECIFICATION

Length (M)	No. of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	96	RGB	24v	7.68	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*13		47*38*28		20	13

RGBWW WITHOUT CODING REMOTE 31V LED STRING LIGHT



RGB WITH WIFI AND VOICE 31V LED STRING LIGHT



APP:



涂鸦



SPECIFICATION


Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	31V	9	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*10		48*38*22		20	11

SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	31V	9	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*10		48*38*22		20	11

Note: We can be customized according to customer demand

RGB WITHOUT CODING 32 KEYS REMOTE 5V LED STRING LIGHT (MIXED CODE)

RGB WITH CODING 32 KEYS REMOTE 31V LED STRING LIGHT (SEQUENTIAL CODE)

SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	5V	5	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*10		48*38*22		20	11

SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	31V	9	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*10		48*38*22		20	11

Note: We can be customized according to customer demand

5V RGB BLUETOOTH WITH SURPLIFE APP LED STRING LIGHT



APP:

 Surplife

SYNC FLASHING WW/W STRING LIGHT



SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	5V	10	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*10		48*38*22		20	11

SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	Customizable	100-240V	4.62	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*13		47*38*28		20	13

Note: We can be customized according to customer demand

APP FAIRY LIGHT



APP:



IDEAL LED

Multiple Scene Presets

Each scene has 10 kinds of lighting modes, Can meet your needs for different scenes dressing!



SPECIFICATION

Length (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	RGB	5V	5	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
9.8*8*13cm		51.5*34.5*28.5cm		40	5



Note: We can be customized according to customer demand

5V RGB BLUETOOTH WITH SURPLIFE APP LED CURTAIN LIGHT



APP:

 Surplife



SPECIFICATION

Length (M)	No. of Light	Light color	Voltage (V)	Power (W)	IP Rating
1*1	400	RGB	5V	15	IP65
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
25*25*10		63*27*27		6	11

Note: We can be customized according to customer demand



*APP supports multi-language, RGB magic color adjustment, text input, animation / pattern playback, music rhythm, and can also realize joint screen playback

3D CURTAIN LIGHT




APP:



Surplife


SPECIFICATION

Height (M)	No.of Light	Light color	Voltage (V)	Power (W)	IP Rating
1	980	RGB	5V	196	IP44
Carton/cm ³		Set/Carton		GW/KG	
50*50*9		1		11.5	



Note: We can be customized according to customer demand

RGB SMART STRING LIGHT (LJ-1314)



SPECIFICATION

Height (M)	No. of Light	Light color	Voltage (V)	Power (W)	IP Rating
10	100	RGB	24V	6	IP44
Inner box/cm ³		Carton/cm ³		Set/Carton	GW/KG
18*9*10		47*38*22		20	11



July 4th



Halloween

One Set for All Year



Thanksgiving Day



Christmas



*Email: webmaster@wxlejin.com
christmas@lejinlighting.com

*Tel: (+86)13861698351

*Web: www.lejinlighting.com
www.lejinchristmaslight.com

*Address: Xianzong Town Industry Area, Hanshan County,
Maanshan City, Anhui Province China